

CERTIFICATE OF ANALYSIS

LOR009

Batch number: PEA089778-OC01

FOR IN VITRO AND RESEARCH USES ONLY

For your safety !!! Biohazard information !!! These biologicals have to be considered as potentially dangerous, take maximum care in order to protect yourself, your colleagues and your environment.

According to French laws, this product is considered as “product and element”, used for scientific research, French law L.1245 CSP.

1 BIOLOGICAL MATERIAL

INFORMATION		Comments
<ul style="list-style-type: none"> • Sex • Origin • Anatomical site • Age 	<ul style="list-style-type: none"> • Female <input checked="" type="checkbox"/> Male <input type="checkbox"/> • Caucasian <input checked="" type="checkbox"/> African <input type="checkbox"/> Other <input type="checkbox"/> • Abdomen <input checked="" type="checkbox"/> Breast <input type="checkbox"/> Face <input type="checkbox"/> Other <input type="checkbox"/> • 46 years old 	
SAFETY DATA		
Virological status	Specification	Result
<ul style="list-style-type: none"> • Hepatitis B (<i>HBs antigen, anti HBc antibody</i>) • Hepatitis C (<i>anti HCV antibody</i>) • HIV-1 and HIV-2 (<i>anti HIV-1 and -2 antibodies</i>) 	Negative	Positive <input type="checkbox"/> Negative <input checked="" type="checkbox"/> In progress <input type="checkbox"/> Positive <input type="checkbox"/> Negative <input checked="" type="checkbox"/> In progress <input type="checkbox"/> Positive <input type="checkbox"/> Negative <input checked="" type="checkbox"/> In progress <input type="checkbox"/>
<i>Virological status for HIV1-2, HCV, HBV is carried out on the patient by serological screening using approved diagnostic kits</i>		
Biosafety level	All biological sourced products should be handled at the Biological Safety Level. 2 (BSL 2) to minimize exposure of potentially infectious products	
DESCRIPTION		
Skin decontamination before surgery		Comments
Betadine <input type="checkbox"/> Betadine alcohol <input type="checkbox"/> Betadine scrub <input type="checkbox"/> Chlorhexidine alcohol <input checked="" type="checkbox"/>	Hibitane <input type="checkbox"/> Hibiscrub <input type="checkbox"/> Chlorhexidine <input type="checkbox"/> Other <input type="checkbox"/>	



8 -18 Rue Jean Pecker - 35000 Rennes, France
 Tél. (33) 02 99 14 36 14 - Fax (33) 02 99 54 44 72

S.A.R.L. au capital de 98 500 €
 R.C.S. Rennes B - SIRET 391 701 232 00012 - APE 332B - VAT n°FR 21 391 701 232

Shipping conditions between the sampling site and Biopredic		Comments
Time		
<ul style="list-style-type: none"> • Transit time less than 6 h • Transit time less than 12 h 	<input checked="" type="checkbox"/> <input type="checkbox"/>	Real time: 03H00
Temperature		
<ul style="list-style-type: none"> • Room temperature • Between +4°C and +15°C • At less than -20°C 	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	

2 PRODUCT


Production information	
<ul style="list-style-type: none"> • Surgery date • Production date • Production performed on 	April 03, 2013 at 04 h 15 PM April 04, 2013 at 11 h 30 AM fresh skin <input checked="" type="checkbox"/> frozen skin <input type="checkbox"/>
<ul style="list-style-type: none"> • Full thickness skin with adipose tissue • Full thickness skin without adipose tissue • Dermatomed skin • Stratum corneum 	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Fresh <input checked="" type="checkbox"/>	Frozen <input type="checkbox"/>
Other <input type="checkbox"/> /	
Surface	200 cm ² (two pieces)

3 CONTROL

Macroscopic examination of the full-thickness skin				
• Presence of stretch marks	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
• Presence of scars	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
• Presence of marks (surgical marker)	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
• Presence of pubic hair	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>




Skin picture



4 STORAGE AND DELIVERY

Storage	
<ul style="list-style-type: none"> • At room temperature • At 4°C • At - 20°C • At - 80°C 	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Delivery	
<ul style="list-style-type: none"> • At room temperature • At 4°C • At lower than - 20°C 	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>

VISA FOR BATCH RELEASE

Name	Signature	Date
Nathalie ROUGIER, PhD	P.O. 	April 04, 2013